




Parts List			
ITEM	QTY	PART No.	DESCRIPTION
1	1	BB5883	Ø35 Inductive Steering Ring
2	1	BB5867	Ø35 Inductive Interface Ring
3	1	BB5844	Ø35 DP Stab Inductive Interface
4	1	BA8400	250W Inductive Connector Secondary Side wFlange RS232
5	12	100493	M6x40 Socked Head Bolt DIN 912 A4-80
6	6	100366	M5x16 Socket Head Bolt DIN 912 A4-80
7	2	100119	M6x25 Socket Head Bolt DIN 912 A4-80
8	1	PA0370	Ø35 QP Stab 10k Interv wCV BSP 3/8" ID5,5mm



NOTE: 1  
DESIGN CODE:  
API 17H Type 1

NOTE: 2  
TECHNICAL CLASSIFICATION:  
Article Type: 001-Hot Stabs  
Main Group: 1.01. Ø35 Hot Stab  
Intermediate Group: 1.1.01. Stab  
Sub Group: 1.1.1.04. Quad

NOTE: 3  
INTERFACE INFORMATION:  
Pressure Rating Bar: 690  
Design Water Depth: N/A  
Material: Intervention  
Weight in Air: 10,3 kg  
Volume: 3,27 dm<sup>3</sup>  
Submerged Weight: 6,93 kg  
Surface Area: 10219 cm<sup>2</sup>  
Hydraulic: 3/8" BSP  
Mechanical: N/A  
Electrical: Subconn BCR2410F  
Com. & Protocol: RS232/Ethernet



Rev.	Date	Reason for issue	Revision change	Made	Chk'd	Appr.
01	13.3.2025	9-IFU (Issued for Use)		HNJ	TAN	HNJ

**BLUE LOGIC**

This Drawing is the Property of Blue Logic AS © and must Not be Loaned, Reproduced or Transferred to others without written Permission

Dwg Scale:	NTS
Dwg Proj:	⊕
Dwg Format:	A3

Drawing title:	Ø35 QP Stab 10k w250W Inductive Connector	
Drawing number:	BC2569	Rev. 01