



NOTE: 1
DESIGN CODE:
N/A

NOTE: 2
TECHNICAL CLASSIFICATION:
Article Type: 003-Valve Stabs
Main Group: 3.03. Ø55-Valvestab
Intermediate Group: 3.12.2. Receptacle
Sub Group: 3.12.69.4. Quad

NOTE: 3
INTERFACE INFORMATION:
Pressure Rating Bar: 250
Material: Intervention
Weight: 14,1 kg
Volume: 3926,1 cm^3
Surface Area: 9643 cm^2
Hydraulic: 3/8" BSP
Mechanical: Flange
Electrical: ref. BA8399
Com. & Protocol: RS232/Ethernet



Rev.	Date	Reason for issue	Revision change	Made	Chk'd	Appr.
02	4.5.2016	9-IFU (Issued for Use)		WTJ	LGH	WTJ
01	18.4.2013	2-IFT (Issued for Tender)		LAE	N/A	N/A





BLUE LOGIC

Dwg Scale:
NTS
Dwg Proj:
Dwg Format:
A3

Drawing title:
Ø55 QP VStab Rec 250Bar Interv BSP 3/8" wInd Conn Prim

Drawing number:
BA3504

Rev.
02



VIEW A-A


NOTE: 1
DESIGN CODE:
NS-EN 13445

NOTE: 2
TECHNICAL CLASSIFICATION:
Article Type: 003-Valve Stabs
Main Group: 3.03. Ø55-Valvestab
Intermediate Group: 3.12.2. Receptacle
Sub Group: 3.12.69.4. Quad

NOTE: 3
INTERFACE INFORMATION:
Pressure Rating Bar: 250
Material: Intervention
Weight: 8,8 kg
Volume: 1924,8 cm³
Surface Area: 3727 cm²
Hydraulic: 3/8" BSP
Mechanical: N/A
Electrical: N/A
Com. & Protocol: N/A

NOTE: 4
SPAREPARTS:
BA5463

NOTE: 5
ADDITIONAL INFORMATION:
Usermanual: 600112-TD-0003



07	15.8.2016	9-IFU (Issued for Use)		WTJ	LGH	WTJ
06	23.5.2016	9-IFU (Issued for Use)		WTJ	LGH	WTJ
05	20.4.2016	9-IFU (Issued for Use)		WTJ	LAE	WTJ
04	4.1.2016	9-IFU (Issued for Use)		WTJ	HNJ	WTJ
Rev.	Date	Reason for issue	Revision change	Made	Chk'd	Appr.






BLUE LOGIC

Dwg Scale:
NTS
Dwg Proj:
Dwg Format:
A3

Drawing title:
Ø55 QP VStab Rec 250Bar Interv Man BSP 3/8"

Drawing number:
BA2389

Rev.
07



NOTE: 1
DESIGN CODE:
N/A

NOTE: 2
TECHNICAL CLASSIFICATION:
Article Type: 006-El. Connectors
Main Group: 6.1. Subsea USB
Intermediate Group: 6.28.3. 200-900W Subsea USB
Sub Group: 6.28.156.2. Female Connector

NOTE: 3
INTERFACE INFORMATION:
Pressure Rating Bar: N/A
Material: N/A
Weight: 4,5 kg
Volume: 1890 cm³
Surface Area: 5504 cm²
Hydraulic: N/A
Mechanical: Flange
Electrical: 110 VAC
Com. & Protocol: RS232/Ethernet

04	10.8.2016	9-IFU (Issued for Use)		WTJ	LGH	WTJ
03	7.6.2016	9-IFU (Issued for Use)		WTJ	LGH	WTJ
02	1.6.2016	9-IFU (Issued for Use)		WTJ	LGH	WTJ
01	7.4.2016	2-IFT (Issued for Tender)		HNJ	N/A	N/A
Rev.	Date	Reason for issue	Revision change	Made	Chk'd	Appr.

BLUE LOGIC

Dwg Scale:
NTS
Dwg Proj:
Dwg Format:
A3

Drawing title:
250W Inductive Connector Primary Side With Flange

Drawing number:
BA8399

Rev.
04