



NOTE: 1  
DESIGN CODE:  
N/A

NOTE: 2  
TECHNICAL CLASSIFICATION:  
Article Type: 003-Valve Stabs  
Main Group: 3.00. Misc-Valvestab  
Intermediate Group: 3.40.09. Spares  
Sub Group: 3.40.94.1. Stab

NOTE: 3  
INTERFACE INFORMATION:  
Pressure Rating Bar: N/A  
Material: Long-term  
Weight: 0,2 kg  
Volume: 0,02 dm^3  
Surface Area: 125 cm^2  
Hydraulic: N/A  
Mechanical: N/A  
Electrical: N/A  
Com. & Protocol: N/A

NOTE: 4  
ADDITIONAL INFORMATION:  
Rotation lock for aligning ValveStab with receptacle. Complete with  
spring-activated indicator pin for confirmation of fully insertion.

|      |            |                                 |                 |      |       |       |  |                          |                                       |   |         |
|------|------------|---------------------------------|-----------------|------|-------|-------|--|--------------------------|---------------------------------------|---|---------|
| 03   | 27.1.2021  | 7-IFC (Issued for Construction) |                 | HNJ  | LGH   | HNJ   | <div><div>BLUE LOGIC</div><div><div></div></div></div> <div>This Drawing is the Property of Blue Logic AS © and must Not be Loaned, Reproduced or Transferred to others without written Permission</div> | Unless Noted Otherwise:  | Dwg Scale: NTS                        | Drawing title:<br>Rotation Lock And Indicator Valve Stab V2 |         |
| 02   | 21.1.2021  | 7-IFC (Issued for Construction) |                 | HNJ  | LGH   | HNJ   |  | Dim. Tol: NS-ISO 2768-1  | Dwg Proj:                             |   |         |
| 01   | 21.10.2020 | 2-IFT (Issued for Tender)       |                 | LGH  | NA    | NA    |  | Roughness: Ra            | Dwg Format: A3                        |   |         |
| Rev. | Date       | Reason for issue                | Revision change | Made | Chk'd | Appr. |  | Fillet Rad: Corner Rmax: | Break Edges: (R. Alt. 45°) R= 0,1-0,5 | Drawing number: BB5505                                      | Rev. 03 |