



543

			WEB REFERENCE LIST							
ITEM	QTY	PART N	No.		TITLE	WEBLINK				
1	1	BA9215		Key for Stab & Handle Interface		http://e-sea.bluelogic.no/main.aspx?page=article&artno=BA9215				
2	1	BA7469		Ø55/Ø57 HP VStab 10k Semi Perm BSP 3/8" Double Seal		http://e-sea.bluelogic.no/main.aspx?page=article&artno=BA7469				
3	2	100363		Bolt						
04	1.2.201	17	9-IF	FU (Issued for Use)			HNJ	WTJ	WTJ	
03	1.11.2016 9-		9-IF	FU (Issued for Use)			WTJ	LGH	WTJ	
02	24.5.2016 9		9-IF	-IFU (Issued for Use)			WTJ	LAE	WTJ	
01	31.3.2016 2-		2-IF	T (Issued for Tender)			WTJ	HSE	WTJ	
Rev.	. Date F		Reas	son for issue	Revision change		Made	Chk'd	Appr.	



NOTE: 1

DESIGN CODE:

NS-EN 13445:2009 / ISO 13628-8

NOTE: 2

TECHNICAL CLASSIFICATION:

Article Type: 003-Valve Stabs

Main Group: 3.07. Dual Bore-Valvestab Intermediate Group: 3.42.1. Stab

Sub Group: 3.42.102.6. Hexa

NOTE: 3

INTERFACE INFORMATION:

Pressure Rating Bar: 690

Material: Semi Permanent

Weight: 9,3 kg
Volume: 1,26 dm^3
Surface Area: 3706 cm^2
Hydraulic: 3/8" BSP
Mechanical: D-Handle
Electrical: N/A
Com. & Protocol: N/A

NOTE: 4

ADDITIONAL INFORMATION:

Male Valve Stab with 6 individual hydraulic lines. Designed for short term submersion in intervention applications.

This valve stab is equipped with a key system (metallic key) and can only be inserted and mated with a receptacle with similar metallic key. The stab will also fit into standard receptacles without key.

The Valve Stab hydraulic connection system is a pressure balanced hydraulic connector system with integrated ball valves in all ports on both the male and female side. Can be connected and disconnected with full system pressure, water ingress and pollution to sea during connection and disconnection is negligible.

For more information - request usermanual 600142-TD-0001.

NOTE: 5 SPAREPARTS:

Drawing num BA8372

 $\underline{\text{http://e-sea.bluelogic.no/main.aspx?page=article\&artno=BB1053}}$

